

# Teldene® R40MLT SAFETY DATA SHEET

TO EC REGULATIONS (EC) 1907/2006 (REACH) & 1272/2008 (CLP)

Version: 4.3

Date of issue: Nov. 2019

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product identifier

Chemical Name 1-propene polymer, with ethene

Trade nameTeldene® R40MLTCAS No.9010-79-1EC No.Not assigned

**Reach Registration** Components are registered

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Raw material for plastics processing industry. (Injection molding, extrusion and

others).

Uses advised against Uses involving permanent implantation into the body and life-sustaining medical

applications and health care sector.

**1.3** Details of the supplier of the Safety Data Sheet

Company Identification National Petrochemical Ind. Co.

P. O. Box 4459 Jeddah 21491

Jeddah,

Saudi Arabia

Contact Mr. Neaz Ahmed.

 e-mail
 http://www.natpet.com/technical-support/

 Telephone
 + 966 12 226 1668, + 966 12 226 1616

Fax + 966 12 652 9379 EU Only Representative Steptoe & Johnson LLP

Avenue Louise 489 B-1050 Brussels

Belgium

+ 32 26260500

 Telephone
 + 32 26260510

 Fax
 eSDS3@steptoe.com

E-mail

**1.4 Emergency telephone number** 00 966 505479408

Opening hours 08-00 to 17-00 (Jeddah time) 5 days (Sunday to Thursday)



### **SECTION 2: HAZARDS IDENTIFICATION**

**2.1 EC Classification** Not classified

Hazard and Precautionary

statements

Not classified

**2.2 Other hazards** Molten polymer will adhere to the skin causing deep thermal burns. Caution -

spillages may be slippery. Dust clouds are sensitive to ignition by electrostatic discharge. Avoid generation of dust. The working steams: process hazards,

may cause irritation to skin and respiratory system.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition	%w/w	CAS No.	Hazard classification
1-propene polymer, with ethene	> 99.5 (min)	9010-79-1	Not classified

Contains stabilizers, antistatic properties and clarity; all classified as non- hazardous

### **SECTION 4: FIRST AID MEASURES**



### 4.1 Description of first aid measures

Inhalation Remove to fresh air immediately. Keep patient at rest and give oxygen if

breathing difficult. Wash out mouth with water. Clear nasal passages. If

symptoms persist, obtain medical attention.

Skin Contact Molten material can cause severe burns. Do NOT try to peel molten material

from the skin. Cool rapidly with water. Seek medical treatment.

Eye Contact Flush eyes with water for at least 15 minutes while holding eyelids open. If

symptoms persist, obtain medical attention.

Ingestion Do NOT induce vomiting. If conscious, give 2 glasses of water. Never give

anything by mouth to an unconscious person. If symptoms persist, obtain

medical attention.

4.2 Most important symptoms

and effects, both acute and

delayed

Molten material can cause severe burns. Dust may have irritant effect on

eyes.

4.3 Indication of immediate

medical attention and special

treatment needed

See 4.1 eye contact / skin contact

Teldene® R40MLT. Version 4.3 Page: 2/7 Nov. 2019



### **SECTION 5: FIRE-FIGHTING MEASURES**

5.1 Extinguishing Media

Suitable Extinguishing Media Foam, CO<sub>2</sub> or dry powder. As appropriate for surrounding fire.

Unsuitable Extinguishing

Do not use water jet, water spray

Media

5.2 Special hazards arising from

the substance or mixture

Thermal decomposition will evolve toxic and irritant vapours. (400 °C and 700 °C). Can melt and burn in a fire. Molten polymer will adhere to the skin

700 °C). Can meit and burn in a fire. Molten polymer will adhere to the

causing deep thermal burns.

**5.3 Advice for fire-fighters** A self contained breathing apparatus and suitable protective clothing should

be worn in fire conditions.

**5.4 Additional Information** Heat value 8000–11000 kcal/kg

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions,** Ensure suitable personal protection (including respiratory protection) during protective equipment and emergency procedures

Ensure suitable personal protection (including respiratory protection) during removal of spillages.

**6.2 Environmental precautions** Do not allow

Do not allow to enter drains, sewers or watercourses.

6.3 Methods and material for containment and cleaning up

Vacuum or sweep up, transfer to a container, seal ready for disposal. Recover

**g up** or recycle if possible.

6.4 Reference to other sections

See Section 8

6.5 Additional Information

Dust clouds are sensitive to ignition by electrostatic discharge.

Caution - spillages may be slippery.

# **SECTION 7: HANDLING AND STORAGE**

7.1 Precautions for safe handling

Do not breathe dust. Do not eat, drink or smoke at the work place. Wash face and hands before eating, drinking or smoking. Avoid contact with skin and eyes. Use only with adequate ventilation or closed system ventilation. When bringing the material to processing temperatures, gases may develop, forming: propylene, hydrocarbon substances with low molecular weight and their oxidation products solvent residues, traces of formaldehyde, acrylaldehyde, and traces of acids (formic acid, acetic acid). Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any

incompatibilities

Ground and bond containers when transferring material. Keep container dry, tightly closed in a cool, well-ventilated place. No open flames, no sparks and no smoking. Only double-stack when the pallet is clearly stable, squared, and safe to be stacked. Keep walkways clear, never stack product adjacent to walkways. Damaged or leaning stacks should immediately be de-stacked. Stacks can fall over when bottom bag(s) is(are) leaking. Before repairing the leaking bag(s), the top bag/pallet must be removed. Never attempt to stack pallets on a sloping floor. It is recommended not to double stack jumbo bags. Jumbo bags are designed for single trip use only and should not be reused.

**7.3 Incompatible materials** Not known



### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

**8.1.1 Occupational Exposure** None assigned

Limits

8.1.2 Exposure limit values for possible processing dangers

SUBSTANCE.	CAS No.	LTEL (8 hr	LTEL (8 hr	STEL	STEL	Note
		TWA ppm)	TWA mg/m³)	(ppm)	(mg/m <sup>3</sup> )	
Dust or powder			10			ACGIH
(total particulates)						
Acrylaldehyde	107-02-8	0.1	0.23	0.3	0.7	OES
Formaldehyde	50-00-0	2.0	2.5	2.0	2.5	MEL
Formic acid	64-18-6	5.0	9.6			ILV
Acetic acid	64-19-7	10	25	15	37	OES

**8.1.3 DNEL & PNEC** Not known

**8.2 Exposure controls** Avoid build up of dust. Avoid inhalation of dusts.

**8.2.1** Appropriate engineering Provide adequate ventilation, including appropriate local extraction if dusts,

controls fumes or vapours are likely to be evolved.

**8.2.2** Personal protection equipment

Eye/face protection Eye protection with side protection (EN 166)

Skin protection (Hand protection/ Other)

Avoid contact with skin, eyes or clothing. Protective gloves. (  $\ensuremath{\mathsf{EU}}$  Directive

89/686/EEC & EN 374)



Respiratory protection



Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved. Where engineering controls are not fitted or inadequate wear suitable respiratory protective equipment.

Thermal hazards Wear insulating gloves EN407 (heat).

Hygiene measures No smoking. Wash hands before breaks and immediately after using the

product. Wash face and hands before eating, drinking or smoking. Wash thoroughly after contact with skin areas. Remove contaminated clothing and wash clothing before reuse. Do not eat, drink or smoke when using this

product.

8.3 Environmental Exposure

**Controls** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

levels. Do not allow to enter drains, sewers or watercourses.



### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Granular Appearance Colour White Odour Odourless Melting Point (°C) 160-163 Boiling point/boiling range: Not applicable Flash Point Not applicable рΗ Not applicable Flammability Not applicable Auto Ignition Temperature (°C) > 400

Density (g/cm³ @ 20 °C)

Solubility Water

Auto ignition reinperature (°C) > 400

0.89 - 0.91

Insoluble

Solubility solvents Soluble in: Chlorinated solvents

Partition Coefficient Not applicable

Decomposition Temp (°C) > 300

Surface tension Not applicable Vapour Pressure (mm Hg) Not applicable

Explosive properties Not explosive. Unlikely to present a dust hazard under normal handling

conditions.

Oxidising properties Not applicable

**9.2 Other information** Not known

### **SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity** Not reactive

10.2 Chemical stability Stable under normal conditions
 10.3 Conditions to avoid Heat and direct sun light

**10.4 Incompatible materials** Not known

**10.5 Hazardous Decomposition** No hazardous decomposition products known at room temperature.

**Products** Thermal decomposition will evolve toxic and irritant vapours.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1 Information on toxicological effects

 $\begin{array}{ll} \mbox{Ingestion Acute LD}_{50} & \mbox{No data} \\ \mbox{Dermal Acute LD}_{50} & \mbox{No data} \end{array}$ 

Skin contact Dust may cause irritation
Eye contact Dust may cause irritation

Respiratory or skin sensitisation None known.

Mutagenicity There is no evidence of mutagenic potential.

Carcinogenicity No evidence of carcinogenicity

Reproductive toxicity Not classified

11.2 Other information None known.



# **SECTION 12: ECOLOGICAL INFORMATION**

12.1	Toxicity	Product is not harmful to environmental organisms
12.2	Persistence and degradability	The substance is non biodegradable.

**12.3 Bioaccumulative potential** The substance has no potential for bioaccumulation.

**12.4 Mobility in soil** Not applicable.

**12.5 Results of PBT and vPvB** Not classified as PBT or vPvB.

assessment

**12.6 Other adverse effects** Small particles may have physical effects on aquatic and terrestrial organisms.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1	Waste treatment methods	Disposal should be in accordance with local, state or national legislation.

**13.2** Additional Information Normal disposal is via incineration operated by an accredited disposal

contractor. Refer to manufacturer/supplier for information on recovery/

recycling. EU Waste code 070213

### **SECTION 14: TRANSPORT INFORMATION**

14.1	Land transport (ADR/RID)	Not classified
14.2	Sea transport (IMDG)	Not classified
14.3	Air transport (ICAO/IATA)	Not classified
14.4	Transport in bulk according	Not classified
	to Annex II of MARPOL	
	73/78 and the IBC Code	

### **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**15.1.1 EU regulations** User to follow EU directives and regulations

Authorisations/restrictions on Not applicable.

use

**15.1.2 National regulations** User to follow national regulations

Additional Regulatory information about this product is present in our standard document, RCPD (Regulatory Compliance Product Declaration) of this product, available on our website; www.natpet.com



### **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: Not applicable

Legend

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT/vPvB Persistent, bioaccumulative and toxic/very Persistent-very Bioaccumlative.

References Regulation (EC) No. 1907/2006 (REACH) & 1272/2008 (CLP)

Chemical Safety Report, Propene (2010)

Hazard and Precautionary statements Not classified

Training advice: Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

This product(s) may not be used in the manufacture of any of the following, without prior written approval by Seller for each specific product and application: (i) U.S. FDA Class I or II Medical Devices; Health Canada Class I, II or III Medical Devices; European Union Class I or II Medical Devices; (ii) film, overwrap and/or product packaging that is Considered a part or component of one of the aforementioned medical devices; (iii) packaging in direct contact with a pharmaceutical active ingredient and/or dosage form that is intended for inhalation, injection, intravenous, nasal, ophthalmic (eye), digestive, or topical (skin) administration; (iv) tobacco related products and applications, electronic cigarettes and similar devices.

The product(s) may not be used in: (i) U.S. FDA Class III Medical Devices; Health Canada Class IV Medical Devices; European Class III Medical Devices; (ii) applications involving permanent implantation into the body; (iii) life-sustaining medical applications.

#### Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. The company gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law The company accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

A soft copy of SDS of this product can be obtained from our website: www.natpet.com