



# Teldene® R40MLT-MG SAFETY DATA SHEET

TO EC REGULATIONS (EC) 1907/2006 (REACH) & 1272/2008 (CLP)

Version: 1.2

Date of issue: Nov. 2019

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

### 1.1 Product identifiers

Chemical Name	1-propene polymer, with ethene
Trade name	Teldene® R40MLT-MG
CAS No.	9010-79-1
EC No.	Not assigned
Reach Registration	Components are registered

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Raw material for the plastics processing industry. In health care applications-a polymer resin for producing medical devices, finished articles and packaging.
Uses advised against	Uses involving permanent implantation into the body and life-sustaining medical applications

### 1.3 Details of the supplier of the Safety Data Sheet

Company Identification	National Petrochemical Ind. Co. P. O. Box 4459 Jeddah 21491 Jeddah, Saudi Arabia
Contact	Mr. Neaz Ahmed.
e-mail	<a href="http://www.natpet.com/technical-support/">http://www.natpet.com/technical-support/</a>
Telephone	+ 966 12 226 1668, + 966 12 226 1616
Fax	+ 966 12 252 9379
EU Only Representative	Steptoe & Johnson LLP Avenue Louise 489 B-1050 Brussels Belgium
Telephone	+ 32 26260500
Fax	+ 32 26260510
e-mail	eSDS3@steptoe.com

### 1.4 Emergency telephone numbers

Opening hours	00 966 505479408 08-00 to 17-00 (Jeddah time) 5 days (Sunday to Thursday)
---------------	--

**SECTION 2: HAZARDS IDENTIFICATION**

- 2.1 EC Classification** Not classified
- Hazard and Precautionary statements Not classified
- 2.2 Other hazards** Molten polymer will adhere to the skin causing deep thermal burns. Caution – spillages may be slippery. Dust clouds are sensitive to ignition by electrostatic discharge. Avoid generation of dust. The working steams; process hazards, may cause irritation to skin and respiratory system.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Composition	%W/W	CAS No.	Hazard classification
1-propene polymer, with ethene	> 99.5 (min)	9010-79-1	Not classified.

Contains additives to give antistatic properties, plasticity, and improved clarity, not classified as hazardous

**SECTION 4: FIRST AID MEASURES**



- 4.1 Description of first aid measures**
- Inhalation Remove to fresh air immediately. Keep patient at rest and give oxygen if breathing difficult. Wash out mouth with water. Clear nasal passages. If symptoms persist, obtain medical attention.
- Skin Contact Molten material can cause severe burns. Do NOT try to peel molten material from the skin. Cool rapidly with water. Seek medical treatment.
- Eye Contact Flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, obtain medical attention.
- Ingestion Do NOT induce vomiting. If conscious, give 2 glasses of water. Never give anything by mouth to an unconscious person. If symptoms persist, obtain medical attention.
- 4.2 Most important symptoms and effects, both acute and delayed** Molten material can cause severe burns. Dust may have irritant effect on eyes.
- 4.3 Indication of immediate medical attention and special treatment needed** See 4.1 Eye contact / skin contact



## SECTION 5: FIRE-FIGHTING MEASURES

- 5.1 Extinguishing Media**  
Suitable Extinguishing Media Water spray, foam, CO<sub>2</sub> or dry powder. As appropriate for surrounding fire.  
Unsuitable Extinguishing Media Do not use water jet, it may scatter the fire.
- 5.2 Special hazards arising from the substance or mixture** Thermal decomposition will evolve toxic and irritant vapours. (400 °C and 700 °C). Can melt and burn in a fire. Molten polymer will adhere to the skin causing deep thermal burns.
- 5.3 Advice for fire-fighters** A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.
- 5.4 Additional Information** Heat value 8000-11000 kcal/kg

## SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** Ensure suitable personal protection (including respiratory protection) during removal of spillages.
- 6.2 Environmental precautions** Do not allow to enter drains, sewers or watercourses.
- 6.3 Methods and material for containment and cleaning up** Vacuum or sweep up, transfer to a container, seal ready for disposal. Recover or recycle if possible.
- 6.4 Reference to other sections** See Section 8
- 6.5 Additional Information** Dust clouds are sensitive to ignition by electrostatic discharge. Caution - spillages may be slippery.

## SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Do not breathe dust. Do not eat, drink or smoke at the work place. Wash face and hands before eating, drinking or smoking. Avoid contact with skin and eyes. Use only with adequate ventilation or closed system ventilation. When bringing the material to processing temperatures, gases may develop, forming: propylene, hydrocarbon substances with low molecular weight and their oxidation products solvent residues, traces of formaldehyde, acrylaldehyde, and traces of acids (formic acid, acetic acid). Take precautionary measures against static discharges.
- 7.2 Conditions for safe storage, including any incompatibilities** Ground and bond containers when transferring materials. Keep container dry, tightly closed in a cool, well ventilated place. No open flames, no sparks and no smoking. Only double-stack when the pallet is clearly stable, squared and safe to be stacked. Keep walkways clear, never stack product adjacent to walkways. Damaged or leaning stacks should immediately be de-stacked. Stacks can fall over when bottom bag(s) is (are) leaking. Before repairing the leaking bag (s), the top bag/pallet must be removed. Never attempt to stack pallets on a shopping floor. It is recommended not to double stack jumbo bags. Jumbo bags are designed for single trip use only and should not be reused.
- 7.3 Incompatible materials** Not known

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**8.1.1 Occupational Exposure Limits** None assigned

**8.1.2 Biological limits** Not assigned

**8.1.3 Exposure limit values for possible processing dangers**

Substance	CAS No.	LTEL 8 hr TWA ppm	LTEL 8 hr TWA mg/m <sup>3</sup>	STEL ppm	STEL mg/m <sup>3</sup>	Note
Dust or powder (total particulates)			10			ACGIH
Acrylaldehyde	107-02-8	0.1	0.23	0.3	0.7	OES
Formaldehyde	50-00-0	2.0	2.5	2.0	2.5	MEL
Formic acid	64-18-6	5.0	9.6			ILV
Acetic acid	64-19-7	10	25	15	37	OES

**8.1.4 DNEL & PNEC** Not known

**8.2 Exposure controls** Avoid build up of dust. Avoid inhalation of dusts.

**8.2.1 Appropriate engineering controls** Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved.

**8.2.2 Personal protection equipment**

Eye/face protection Eye protection with side protection (EN 166)



Skin protection (Hand protection/ Other) Avoid contact with skin, eyes or clothing. Protective gloves. ( EU Directive 89/686/EEC & EN 374)



Respiratory protection Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved. Where engineering controls are not fitted or inadequate wear suitable respiratory protective equipment.



Thermal hazards Wear insulating gloves EN407 (heat).

Hygiene measures No smoking. Wash hands before breaks and immediately after using the product. Wash face and hands before eating, drinking or smoking. Wash thoroughly after contact with skin areas. Remove contaminated clothing and wash clothing before reuse. Do not eat, drink or smoke when using this product.

**8.3 Environmental Exposure Controls** Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Do not allow to enter drains, sewers or watercourses.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>9.1</b>	<b>Information on basic physical and chemical properties</b>	
	Appearance	Granular
	Colour	White
	Odour	Odourless
	Melting Point (°C)	160-163
	Boiling point/boiling range:	Not applicable
	Flash Point	Not applicable
	pH	Not applicable
	Flammability	Not applicable
	Auto Ignition Temperature (°C)	> 400
	Density (g/cm <sup>3</sup> @ 20 °C)	0.89 - 0.91
	Solubility Water	Insoluble.
	Solubility solvents	Soluble in: Chlorinated solvents
	Partition Coefficient	Not applicable
	Decomposition Temp (°C)	> 300
	Surface tension	Not applicable
	Vapour Pressure (mm Hg)	Not applicable
	<b>Explosive properties</b>	Not explosive. Unlikely to present a dust hazard under normal handling conditions.
	<b>Oxidising properties</b>	Not applicable
<b>9.2</b>	<b>Other information</b>	Not known

## SECTION 10: STABILITY AND REACTIVITY

<b>10.1</b>	<b>Reactivity</b>	Not reactive
<b>10.2</b>	<b>Chemical stability</b>	Stable under normal conditions.
<b>10.3</b>	<b>Conditions to avoid</b>	Heat and direct sun light.
<b>10.4</b>	<b>Incompatible materials</b>	Not known
<b>10.5</b>	<b>Hazardous Decomposition Products</b>	No hazardous decomposition products known at room temperature. Thermal decomposition will evolve toxic and irritant vapours.

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>11.1</b>	<b>Information on toxicological effects</b>	
	Ingestion Acute LD <sub>50</sub>	No data
	Dermal Acute LD <sub>50</sub>	No data
	Skin contact	Dust may cause irritation
	Eye contact	Dust may cause irritation
	Respiratory or skin sensitisation	None known.
	Mutagenicity	There is no evidence of mutagenic potential.
	Carcinogenicity	No evidence of carcinogenicity.
	Reproductive toxicity	Not classified
<b>11.2</b>	<b>Other information</b>	None known.



## SECTION 12: ECOLOGICAL INFORMATION

<b>12.1</b>	<b>Toxicity</b>	Product is not harmful to environmental organisms
<b>12.2</b>	<b>Persistence and degradability</b>	The substance is non biodegradable.
<b>12.3</b>	<b>Bioaccumulative potential</b>	The substance has no potential for bioaccumulation.
<b>12.4</b>	<b>Mobility in soil</b>	Not applicable.
<b>12.5</b>	<b>Results of PBT and vPvB assessment</b>	Not classified as PBT or vPvB.
<b>12.6</b>	<b>Other adverse effects</b>	Small particles may have physical effects on aquatic and terrestrial organisms.

## SECTION 13: DISPOSAL CONSIDERATIONS

<b>13.1</b>	<b>Waste treatment methods</b>	Disposal should be in accordance with local, state or national legislation.
<b>13.2</b>	<b>Additional Information</b>	Normal disposal is via incineration operated by an accredited disposal contractor. Refer to manufacturer/supplier for information on recovery/recycling. EU Waste code 070213

## SECTION 14: TRANSPORT INFORMATION

<b>14.1</b>	<b>Land transport (ADR/RID)</b>	Not classified
<b>14.2</b>	<b>Sea transport (IMDG)</b>	Not classified
<b>14.3</b>	<b>Air transport (ICAO/IATA)</b>	Not classified
<b>14.4</b>	<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not classified

## SECTION 15: REGULATORY INFORMATION

<b>15.1</b>	<b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b>	
<b>15.1.1</b>	<b>EU regulations</b>	User to follow EU directives and regulations
	Authorisations/restrictions on use	Not applicable.
<b>15.1.2</b>	<b>National regulations</b>	User to follow national regulations

Additional Regulatory information about this product is present in our standard document, RCPD (Regulatory Compliance Product Declaration) of this product, available on our website; [www.natpet.com](http://www.natpet.com)



## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: Not applicable

### Legend

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT/vPvB	Persistent, bioaccumulative and toxic/very Persistent-very Bioaccumulative.

References Regulations (EC) Nos.1907/2006; 1272/2008; 453/2010

**Hazard and Precautionary statements** Not classified

**Training advice:** Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

This product(s) may not be used in the manufacture of any of the following, without prior written approval by Seller for each specific product and application: (i) U.S. FDA Class I or II Medical Devices; Health Canada Class I, II or III Medical Devices; European Union Class I or II Medical Devices; (ii) film, overwrap and/or product packaging that is considered a part or component of one of the aforementioned medical devices; (iii) packaging in direct contact with a pharmaceutical active ingredient and/or dosage form that is intended for inhalation, injection, intravenous, nasal, ophthalmic (eye), digestive, or topical (skin) administration; (iv) tobacco related products and applications, electronic cigarettes and similar devices.

The product(s) may not be used in: (i) U.S. FDA Class III Medical Devices; Health Canada Class IV Medical Devices; European Class III Medical Devices; (ii) applications involving permanent implantation into the body; (iii) life-sustaining medical applications.

### Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose.

The company gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. The company accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

A soft copy of SDS of this product can be obtained from our website: [www.natpet.com](http://www.natpet.com)