

# Teldene<sup>®</sup> H03BPM SAFETY DATA SHEET

TO EC REGULATIONS (EC) 1907/2006 (REACH) & 1272/2008 (CLP)

Version: 4.3 Date of issue: Nov. 2019

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1	Product identifiers	
	Chemical Name	1-propene, homopolymer
	Trade name	Teldene® H03BPM
	CAS No.	9003-07-0
	EC No.	Not assigned
	Reach Registration	Components are registered
1.2	<b>1.2</b> Relevant identified uses of the substance or mixture and uses advised against	
	Identified uses	Raw material for the plastics processing industry. (Injection molding, extrusion and others).
	Uses advised against	Uses involving permanent implantation into the body and life-sustaining medical applications and health care sector.
1.3	Details of the supplier of the Sa	fety Data Sheet
	Company Identification	National Petrochemical Ind. Co.
		P. O. Box 4459 Jeddah 21491
		Jeddah,
		Saudi Arabia
	Contact	Mr. Neaz Ahmed.
	e-mail	http://www.natpet.com/technical-support/
	Telephone	+ 966 12 226 1668, + 966 12 226 1616
	Fax	+ 966 12 252 9379
	EU Only Representative	Steptoe & Johnson LLP
		Avenue Louise 489
	<b>—</b> • •	B-1050 Brussels
	Telephone	Belgium
	Fax	+ 32 26260500
	E-mail	+ 32 26260510
		eSDS3@steptoe.com
1.4	Emergency telephone numbers	00 966 505479408
	Opening hours	08-00 to 17-00 (Jeddah time) 5 days (Sunday to Thursday)



#### **SECTION 2: HAZARDS IDENTIFICATION**

2.1	EC Classification	Not classified
	Hazard and Precautionary statements	Not classified
2.2	Other hazards	Molten polymer will adhere to the skin causing deep thermal burns. Caution – spillages may be slippery. Dust clouds are sensitive to ignition by electrostatic discharge. Avoid generation of dust. The working steams: process hazards, may cause irritation to skin and respiratory system.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition	%w/w	CAS No.	Hazard classification
1-propene polymer	> 99.5 (min)	9003-07-0	Not classified

Contains stabilizers; all classified as non-hazardous

#### **SECTION 4: FIRST AID MEASURES**



4.1	Description of first aid measu	Description of first aid measures			
	Inhalation	Remove to fresh air immediately. Keep patient at rest and give oxygen if breathing difficult. Wash out mouth with water. Clear nasal passages. If symptoms persist, obtain medical attention.			
	Skin Contact	Molten material can cause severe burns. Do NOT try to peel molten material from the skin. Cool rapidly with water. Seek medical treatment.			
	Eye Contact	Flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, obtain medical attention.			
	Ingestion	Do NOT induce vomiting. If conscious, give 2 glasses of water. Never give anything by mouth to an unconscious person. If symptoms persist, obtain medical attention.			
4.2	Most important symptoms and effects, both acute and delayed	Molten material can cause severe burns. Dust may have irritant effect on eyes.			
4.3	Indication of immediate medical attention and special treatment needed	See 4.1 eye contact / skin contact			



# SECTION 5: FIRE-FIGHTING MEASURES

5.1	Extinguishing Media Suitable Extinguishing Media	Foam, CO <sub>2</sub> or dry powder. As appropriate for surrounding fire.
	Unsuitable Extinguishing Media	Do not use water jet, water spray
5.2	Special hazards arising from the substance or mixture	Thermal decomposition will evolve toxic and irritant vapours. (400 °C and 700 °C). Can melt and burn in a fire. Molten polymer will adhere to the skin causing deep thermal burns.
5.3	Advice for fire-fighters	A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.
5.4	Additional Information	Heat value 8000-11000 kcal/kg

# SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures	Ensure suitable personal protection (including respiratory protection) during removal of spillages.
6.2	<b>Environmental precautions</b>	Do not allow to enter drains, sewers or watercourses.
6.3	Methods and material for	Vacuum or sweep up, transfer to a container, seal ready for disposal. Recover
	containment and cleaning up	or recycle if possible.
6.4	<b>Reference to other sections</b>	See Section 8
6.5	Additional Information	Dust clouds are sensitive to ignition by electrostatic discharge.
		Caution – spillages may be slippery.

#### SECTION 7: HANDLING AND STORAGE

7.1	Precautions for safe handling	Do not breathe dust. Do not eat, drink or smoke at the work place. Wash face and hands before eating, drinking or smoking. Avoid contact with skin and eyes. Use only with adequate ventilation or closed system ventilation. When bringing the material to processing temperatures, gases may develop, forming: propylene, hydrocarbon substances with low molecular weight and their oxidation products solvent residues, traces of formaldehyde, acrylaldehyde, and traces of acids (formic acid, acetic acid). Take precautionary measures against static discharges.
7.2	Conditions for safe storage, including any incompatibilities	Ground and bond containers when transferring material. Keep container dry, tightly closed in a cool, well-ventilated place. No open flames, no sparks and no smoking. Only double-stack when the pallet is clearly stable, squared, and safe to be stacked. Keep walkways clear, never stack product adjacent to walkways. Damaged or leaning stacks should immediately be de-stacked. Stacks can fall over when bottom bag(s) is(are) leaking. Before repairing the leaking bag(s), the top bag/pallet must be removed. Never attempt to stack pallets on a sloping floor. It is recommended not to double stack jumbo bags. Jumbo bags are designed for single trip use only and should not be reused.
7.3	Incompatible materials	Not known



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters
- 8.1.1 Occupational Exposure None assigned

Limits

#### 8.1.2 Exposure limit values for possible processing dangers

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Dust or powder			10			ACGIH
(total particulates)						
Acrylaldehyde	107-02-8	0.1	0.23	0.3	0.7	OES
Formaldehyde	50-00-0	2.0	2.5	2.0	2.5	MEL
Formic acid	64-18-6	5.0	9.6			ILV
Acetic acid	64-19-7	10	25	15	37	OES

8.1.3 8.2 8.2.1 8.2.2	DNEL & PNEC Exposure controls Appropriate engineering controls Personal protection	Not known Avoid build up of dust. Avoid inhalation of dusts. Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved.
	equipment Eye/face protection	Eye protection with side protection (EN 166)
	Skin protection (Hand protection/ Other)	Avoid contact with skin, eyes or clothing. Protective gloves. ( EU Directive 89/686/EEC & EN 374)
	Respiratory protection	Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved. Where engineering controls are not fitted or inadequate wear suitable respiratory protective equipment.
	Thermal hazards	Wear insulating gloves EN407 (heat).
	Hygiene measures	No smoking. Wash hands before breaks and immediately after using the product. Wash face and hands before eating, drinking or smoking. Wash thoroughly after contact with skin areas. Remove contaminated clothing and wash clothing before reuse. Do not eat, drink or smoke when using this product.
8.3	Environmental Exposure Controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Do not allow to enter drains, sewers or watercourses.



# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

mormation on busic physical	and chemical properties
Appearance	Granular
Colour	White
Odour	Odourless
Melting Point (°C)	160-163
Boiling point/boiling range:	Not applicable
Flash Point	Not applicable
рН	Not applicable
Flammability	Not applicable
Auto Ignition Temperature (°C)	>400
Density (g/cm³ @ 20 °C)	0.89 - 0.91
Solubility Water	Insoluble
Solubility solvents	Soluble in: Chlorinated solvents
Partition Coefficient	Not applicable
Decomposition Temp (°C)	> 300
Surface tension	Not applicable
Vapour Pressure (mm Hg)	Not applicable
Explosive properties	Not explosive. Unlikely to present a dust hazard under normal handling
	conditions.
Oxidising properties	Not applicable
Other information	Not known

#### SECTION 10: STABILITY AND REACTIVITY

9.2

10.1	Reactivity	Not reactive
10.2	Chemical stability	Stable under normal conditions
10.3	Conditions to avoid	Heat and direct sun light
10.4	Incompatible materials	Not known
10.5	Hazardous Decomposition	No hazardous decomposition products known at room temperature.
	Products	Thermal decomposition will evolve toxic and irritant vapours.

#### SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

	Ingestion Acute LD50	No data
	Dermal Acute LD <sub>50</sub>	No data
	Skin contact	Dust may cause irritation
	Eye contact	Dust may cause irritation
	Respiratory or skin sensitisation	None known.
	Mutagenicity	There is no evidence of mutagenic potential.
	Carcinogenicity	No evidence of carcinogenicity
	Reproductive toxicity	Not classified
11.2	Other information	None known.



#### SECTION 12: ECOLOGICAL INFORMATION

12.1	Toxicity	Product is not harmful to environmental organisms
12.2	Persistence and degradability	The substance is non biodegradable.
12.3	<b>Bioaccumulative potential</b>	The substance has no potential for bioaccumulation.
12.4	Mobility in soil	Not applicable.
12.5	<b>Results of PBT and vPvB</b>	Not classified as PBT or vPvB.
	assessment	
12.6	Other adverse effects	Small particles may have physical effects on aquatic and terrestrial organisms.
SECTION	ON 13: DISPOSAL CONSIDERA	TIONS
13.1	Waste treatment methods	Disposal should be in accordance with local, state or national legislation.

# **13.2** Additional Information Normal disposal is via incineration operated by an accredited disposal contractor. Refer to manufacturer/supplier for information on recovery/ recycling. EU Waste code 070213

#### SECTION 14: TRANSPORT INFORMATION

14.1	Land transport (ADR/RID)	Not classified
14.2	Sea transport (IMDG)	Not classified
14.3	Air transport (ICAO/IATA)	Not classified
14.4	Transport in bulk according	Not classified
	to Annex II of MARPOL	
	73/78 and the IBC Code	

#### **SECTION 15: REGULATORY INFORMATION**

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
15.1.1	EU regulations	User to follow EU directives and regulations
	Authorisations/restrictions on	Not applicable.
	use	
15.1.2	National regulations	User to follow national regulations

Additional Regulatory information about this product is present in our standard document, RCPD (Regulatory Compliance Product Declaration) of this product, available on our website; www.natpet.com



#### **SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements: Not applicable Legend				
LTEL	Long Term Exposure Limit			
STEL	Short Term Exposure Limit			
STOT	Specific Target Organ Toxicity			
DNEL	Derived No Effect Level			
PNEC	Predicted No Effect Concentration			
PBT/vPvB	Persistent, bioaccumulative and toxic/very Persistent-very Bioaccumlative.			
References	Regulation (EC) No. 1907/2006 (REACH) & 1272/2008 (CLP) Chemical Safety Report, Propene (2010)			

# Hazard and Precautionary statements. Not classified

Training advice: Ensure staff and workers receive adequate training with regular updates in the handling of chemicals

This product(s) may not be used in the manufacture of any of the following, without prior written approval by Seller for each specific product and application: (i) U.S. FDA Class I or II Medical Devices; Health Canada Class I, II or III Medical Devices; European Union Class I or II Medical Devices; (ii) film, overwrap and/or product packaging that is Considered a part or component of one of the aforementioned medical devices; (iii) packaging in direct contact with a pharmaceutical active ingredient and/or dosage form that is intended for inhalation, injection, intravenous, nasal, ophthalmic (eye), digestive, or topical (skin) administration; (iv) tobacco related products and applications, electronic cigarettes and similar devices.

The product(s) may not be used in: (i) U.S. FDA Class III Medical Devices; Health Canada Class IV Medical Devices; European Class III Medical Devices; (ii) applications involving permanent implantation into the body; (iii) life-sustaining medical applications.

#### Disclaimer

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. The company gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law The company accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

#### A soft copy of SDS of this product can be obtained from our website: <u>www.natpet.com</u>